

Safety Data Sheet

Oil Away

SECTION 1. IDENTIFICATION

Product Identifier Oil Away
Product Family Stain Remover
Recommended Use Stain remover for porous surfaces.
Manufacturer Wipeout Specialty Cleaning Inc., 754 Francis Road, Burlington, ON, L7T 4A3, Canada, 1-905-632-9849
Emergency Phone No. CANUTEC , 613-996-6666, 24 Hours
CHEMTREC, 1-800-424-9300
SDS No. 0368
Date of Preparation July 31, 2018

SECTION 2. HAZARD IDENTIFICATION

Classification

Skin irritation - Category 2

Label Elements



Warning

Causes skin and eye irritation.

Wash hands and skin thoroughly after handling.

Wear protective gloves.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

IF ON SKIN: Wash with plenty of water

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	%	Other Identifiers	Other Names
Alcohols, C7-21, ethoxylated	68991-48-0	2-5		
d-Limonene	5989-27-5	1-3		

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Product Identifier: Oil Away - Ver. 1

Date of Preparation: July 31, 2018

Date of Last Revision:

SDS No.: 0368

Page 01 of 04

Inhalation

Move to fresh air. Get medical advice or attention if you feel unwell or are concerned.

Skin Contact

Wash with plenty of water. Avoid direct contact. Wear chemical protective clothing if necessary.

Eye Contact

Rinse the contaminated eye(s) with lukewarm, gently flowing water for 5 minutes, while holding the eyelid(s) open.

Ingestion

Never give anything by mouth if person is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. Rinse mouth with water. Get medical advice or attention if you feel unwell or are concerned. Call a Poison Centre or doctor if you feel unwell.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media**Suitable Extinguishing Media**

Not combustible. Use extinguishing agent suitable for surrounding fire.

Specific Hazards Arising from the Product

Heating increases the release of toxic vapour.

In a fire, the following hazardous materials may be generated: toxic, corrosive chemicals; irritating chemicals; very toxic carbon monoxide, carbon dioxide; toxic halogenated compounds; corrosive hydrogen chloride; corrosive, oxidizing nitrogen oxides.

Special Protective Equipment and Precautions for Fire-fighters

Evacuate area.

Fire-fighters may enter the area if positive pressure SCBA and full Bunker Gear is worn. A full-body encapsulating chemical protective suit with positive pressure SCBA may be necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Evacuate the area immediately. Isolate the hazard area. Keep out unnecessary and unprotected personnel. Use the personal protective equipment recommended in Section 8 of this safety data sheet. Remove or isolate incompatible materials as well as other hazardous materials.

Environmental Precautions

Do not allow into any sewer, on the ground or into any waterway. If the spill is inside a building, prevent product from entering drains, ventilation systems and confined areas.

Methods and Materials for Containment and Cleaning Up

Contain and soak up spill with absorbent that does not react with spilled product. Dike spilled product to prevent runoff. Stop or reduce leak if safe to do so. Place used absorbent into suitable, covered, labelled containers for disposal. Contaminated absorbent poses the same hazard as the spilled product. Store recovered product in suitable containers that are: covered, corrosion-resistant.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Do not get in eyes, on skin or on clothing. Wear personal protective equipment to avoid direct contact with this chemical.

Conditions for Safe Storage

Store in an area that is: cool, ventilated.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Appropriate Engineering Controls

Product Identifier: Oil Away - Ver. 1

Date of Preparation: July 31, 2018

Date of Last Revision:

SDS No.: 0368

Page 02 of 04

General ventilation is usually adequate. Provide eyewash and safety shower if contact or splash hazard exists.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles and face shield when contact is possible.

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.

Respiratory Protection

Not normally required if product is used as directed.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance	Milky viscous liquid.
pH	9 - 11
Melting Point/Freezing Point	Not available (melting); Not available (freezing)
Flash Point	Not available
Evaporation Rate	Not available
Upper/Lower Flammability or Explosive Limit	Not available (upper); Not available (lower)
Vapour Pressure	Not available
Vapour Density (air = 1)	Not available
Solubility	Soluble in water
Auto-ignition Temperature	Not available
Other Information	
Physical State	Liquid
Critical Temperature	Not available
Electrical Conductivity	Not available
Vapour Pressure at 50 deg C	Not available
Saturated Vapour Concentration	Not available
Other Physical Property 1	Pour point: 5 C

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions of use.

Possibility of Hazardous Reactions

Incompatible materials: Strong oxidizing agents.

Incompatible Materials

Strong oxidizing agents (e.g. perchloric acid).

Hazardous Decomposition Products

Toxic halogenated compounds; corrosive hydrogen chloride; corrosive, oxidizing nitrogen oxides.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
d-Limonene	Not available	4400-6600 mg/kg (rat)	

Carcinogenicity

Product Identifier: Oil Away - Ver. 1

SDS No.: 0368

Date of Preparation: July 31, 2018

Date of Last Revision:

Page 03 of 04

Chemical Name	IARC	ACGIH®	NTP	OSHA
d-Limonene	Not Listed	Not Listed	Not Listed	Not Listed

Not known to cause cancer. Conclusions cannot be drawn from the limited studies available.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Acute Aquatic Toxicity

Chemical Name	LC50 Fish	EC50 Crustacea	ErC50 Aquatic Plants	ErC50 Algae
d-Limonene	0.72 mg/L (Pimephales promelas (fathead minnow); 96-hour)	0.924 mg/L (Daphnia magna (water flea); 48-hour)		1.81 mg/L (Selenastrum capricornutum (algae); 96-hour)
Alcohols, C7-21, ethoxylated	70.7 (Daphnia magna (water flea); 96-hour)			

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of contents and container in accordance with local, regional, national and international regulations.

SECTION 14. TRANSPORT INFORMATION

Not regulated under Canadian TDG regulations. Not regulated under US DOT Regulations. Not regulated under IATA Regulations.

Special Precautions Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15. REGULATORY INFORMATION

SECTION 16. OTHER INFORMATION

SDS Prepared By Elemental

Phone No. 1-800-265-9205

Date of Preparation July 31, 2018

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. Such information is only given as a guidance to help the user handle, use, process, store, transport, dispose, and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification. The information only relates to the designated specific product and may not be applicable if such product is used in combination with other materials or in any other manufacturing process, unless otherwise specifically indicated. It does not release the user from ensuring he is in conformity with all regulations linked to its activity.

Product Identifier: Oil Away - Ver. 1

SDS No.: 0368

Date of Preparation: July 31, 2018

Date of Last Revision:

Page 04 of 04